

Lirika

TRADITION MADE NEW. THE EVOLUTION.

Saeco has always been a pioneer in the OCS and small Ho.Re.Ca. locations market.

Today, thanks to its flair for development, to address the increasing needs of coffee consumption outside the home, Saeco developed a complete range with new solutions that express the best and most developed aspects of the OCS world.

Lirika is the entry-level reference point for OCS bean-to-cup, and guarantees superior performance and user-friendliness in a modern and compact shell.

DESIGNED FOR YOUR WORLD.

Saeco addresses the increasingly specific requirements of out-of-home consumption with a complete range of bean-to-cup machines that fully comply with customers' requests.

The need to be able to choose among different types of drinks, including fresh-milk-based specialties, the user-friendliness in self-service contexts, and the reduction of operating costs are only some of the requirements that Saeco addressed in designing its range.

A range of products designed specifically for the B2B sector, and equipped with revolutionary systems for the distribution of milk-based drinks, a compact and innovative design and an operating software that was custom-made for the reference market, for better credit management, for instance.

In addition, these machines are 60335-2-75 certified for professional use.





Lirika is a simple, compact and performing machine, ideal for the office and small Ho.Re.Ca. venues.

It has modern and essential lines, high capacity water and coffee tanks and is incredibly easy to use.

Lirika, Lirika Plus and Lirika OTC are the best expression of Saeco know-how, in three versions that offer a concentrated mix of top quality and performance.

The wide display (in the OTC version with completely redesigned icons) allows the user to choose espresso or coffee and hot water or steam delivered through an independent wand (steam not available in the OTC version).

They can also prepare creamy and tasty cappuccinos and latte macchiato, also with the "One Touch" system in Lirika OTC, thanks to the innovative "Pinless Wonder" cappuccinatore.

All the models are characterised by the pre-brewing system, a Class A boiler, ceramic blades and a removable brewing unit (with aroma intensity calibration in the OTC and Plus versions), to facilitate cleaning and maintenance activities.





THE BEST CAPPUCCINO WITH ONE TOUCH.

"One Touch Cappuccino" is Saeco's exclusive system for brewing a perfect cappuccino or latte macchiato, in the best Italian tradition, thanks to the special cappuccinatore, the "Pinless Wonder".

An innovative system, mounted only on the Lirika OTC version, that creates a delightful foam, collecting milk directly from its pack or from the fridge, as required in B2B applications.

In this way, the "One Touch Cappuccino" system delivers creamy cappuccinos or latte macchiato directly in your cup.

In addition, Lirika OTC has a "Mini-Clean" function: after every milk delivery, the system asks whether to activate the self-cleaning procedure with about 20 cc of hot water.

THE MODELS



Lirika OTC



Capacities

500 gr coffee bean 2.5 I water 15 coffee grounds 0.5 I drip tray

One-Touch cappuccino

l coffee cups simultaneously Hot water dispenser (no steam) iingle circuit

Cappuccinatore

Integrated Pinless Wonder

Ceramic blades



Lirika Plus



Capacities

500 gr coffee beans 2.5 I water 15 coffee grounds 0.5 I drip tray

Milk from steam wand

2 coffee cups simultaneously Hot water / steam wand Single circuit

Cappuccinatore

Tuono on steam wand Siluro (optional)

Ceramic blades



Lirika



Capacities

500 gr coffee beans 2.5 I water 15 coffee grounds 0.5 I drip tray

Milk from steam wand


2 coffee cups simultaneously Hot water / steam wand Single circuit

Cappuccinatore

Pannarello on steam wand Tuono or Siluro (optional)

Ceramic blades

LIRIKA. A CLOSE LOOK.



TECHNICAL DATA



Lirika OTC

| Dimensions (w \times h \times d) | 215 × 370 × 429 mm | |
|---|--------------------------------------|--|
| Weight | 8 kg | |
| Colour | dark grey | |
| Electrical specifications | | |
| Power supply | 220-240 V/50-60 Hz | |
| Absorbed power | 1850 W | |
| Water specifications | | |
| Hydraulic system | single circuit | |
| Hot water / steam wand | dedicated hot water wand (no steam) | |
| Water connections | | |
| Water supply | independent tank | |
| Capacities | | |
| Coffee beans container | 500 gr | |
| Water tank | 2.5 I, removable | |
| Coffee grounds container | 15 | |
| Other specifications | | |
| Cappuccinatore | Pinless Wonder, completely automatic | |
| Grinder setting | yes | |
| Coffee strength adjustment | yes (light 6.5, medium 8, strong 10) | |
| Electronic pre-infusion | yes | |
| Simultaneous dispensing of 2 coffee cups | yes | |
| Coffee dispenser height adjustment | yes (105-145 mm) | |
| Possibility of using latte macchiato glasses (14 cm) | yes | |
| Interface | | |
| Graphic display with icons and text messages | yes | |
| One touch cappuccino / latte macchiato | yes | |
| Certification | | |
| Approval pursuant to the 60335-2-75 professional standard | yes | |





| | Lirika Plus | Lirika |
|---|--------------------------------------|------------------------------|
| Structural specifications | | |
| Dimensions ($w \times h \times d$) | 215 × 370 × 429 mm | 215 × 370 × 429 mm |
| Weight | 8 kg | 8 kg |
| Colour | silver / black | black |
| Electrical specifications | | |
| Power supply | 220-240-120 V/50-60 Hz | 220-240-120 V/50-60 Hz |
| Absorbed power | 1850 W | 1850 W |
| Water specifications | | |
| Hydraulic system | single circuit | single circuit |
| Hot water / steam wand | with Tuono | with pannarello |
| Water connections | | |
| Water supply | independent tank | independent tank |
| Capacities | | |
| Coffee beans container | 500 gr | 500 gr |
| Water tank | 2.5 I, removable | 2.5 I, removable |
| Coffee grounds container | 15 | 15 |
| Other specifications | | |
| Cappuccinatore | Tuono on the steam wand | pannarello on the steam wand |
| Grinder setting | yes | yes |
| Coffee strength adjustment | yes (light 6.5, medium 8, strong 10) | aroma fixed |
| Electronic pre-infusion | yes | yes |
| Simultaneous dispensing of 2 coffee cups | yes | yes |
| Coffee dispensers height adjustment | yes (105-145 mm) | yes (105-145 mm) |
| Possibility of using latte macchiato glasses (14 cm) | yes | yes |
| Interface | | |
| Graphic display with icons and text messages | yes | yes |
| One touch cappuccino / latte macchiato | no | no |
| Certification | | |
| Approval pursuant to the 60335-2-75 professional standard | yes | yes |
| | | |

Milk Cooler



Milk Cooler to keep milk fresh, with a capacity of 1 litre.

The cooling is generated by a Peltier cooling system with no CFCs.

It can be combined with both Aulika and Lirika models.

Technical data

 $\begin{array}{lll} \mbox{Dimensions (w \times h \times d)} & 150 \times 215 \times 190 \mbox{ mm} \\ \mbox{Weight} & 1.7 \mbox{ kg} \\ \mbox{Power supply} & 100-240 \mbox{V/50-60 Hz} \\ \mbox{Power consumption} & 20 \mbox{W} \\ \mbox{Capacity} & 1 \mbox{I} \mbox{I} \mbox{I} \mbox{I} \mbox{I} \mbox{I} \mbox{I} \end{array}$

Lirika Tuono Cappuccinatore



Tuono cappuccinatore to be mounted on the steam wand for the frothing of creamy cappuccinos and milk drinks.

It can be used also in combination with the Milk Cooler.

SOLUTIONS THAT MEET YOUR EXPECTATIONS.

For several years now Saeco has been developing its projects in partnership with important players in the world of coffee brewing outside the home.

The willingness of the company to address the needs of the market and of the users more and more closely has led to the development of customised solutions.

Moreover, the company supports its products throughout the development and sales phases and beyond, thanks to its solid after-sales service.

Saeco has also a dedicated team and a set of on-line and off-line tools to support the customer on a daily basis, in terms of information, technical skills, spare parts and accessories.

Saeco, your ideal partner.

